

830478181

_

AMALIE OIL COMPANY

1601 McCloskey Boulevard Tampa, Florida 33605 U.S.A. E-MAIL: info@amalie.com www.amalie.com Telephone: (813)248-1988 Fax: (813) 248-1488

Page 1/8

Safety data sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 24 April 2018

SECTION 1 PRODUCT AND COMPANY INFORMATION

Product Name(s):	AMALIE ELIXIR SYN	TRI-VIS +LS GL-5 75W	-
Product Code(s):	830478181		
Uses:	A petroleum-based lubricant.		
Company:	AOCUSA		
Address:	1601 McCloskey Boulev U.S.A.	ard Tampa, Florida 33605/	
Telephone Number:	(813) 248-1988	Fax Number:	(813) 248-1488
Emergency Telephone Number:	For Hazardous Materials [or Dangerous Goods] Incident (24 hours/day)		
	ChemTel Inc. (800) 2	55-3924; +1 (813) 248-05	85
Date Issued:	July 23, 2018	Date Revised:	July 23, 2018
			1000 · · · · · ·

This SDS complies with the OSHA Hazard Communication Standard 29CFR1910.1200 as revised in May 2012 (GHS). It may not meet requirements in other countries.

SECTION 2 HAZARDS IDENTIFICATION

GHS Signal <u>WARNING</u> Word:	
GHS Skin Sensitization (Category 1) Classification:	
GHS Hazard May cause an allergic skin reaction Statements:	
GHS <u>Prevention:</u> <u>Response:</u>	
Precautionary Avoid breathing mist/vapors/spray. If on skin: Wash with plenty of water/	soap.
Wear protective gloves. If skin irritation or rash occurs: Get m	nedical
Contaminated work clothing must not be advice/attention.	
allowed out of the workplace. Wash contaminated clothing before r	euse.
Storage: Disposal:	
None. Dispose of contents/container in acc	
Hazards Not with local/regional/national/internation Otherwise regulations.	nal
Classified: None.	

SECTION 2 HAZARDS IDENTIFICATION

GHS Assessment: Approximately 21-22% of this mixture consists of ingredient(s) of unknown acute toxicity. Approximately 21-22% of the mixture consists of ingredient(s) of unknown hazards to the aquatic environment.

SECTION 3 COMPOSITION / INGREDIENTS

Component	CAS Number	EC Number	Concentration
Petroleum distillates, hydrotreated	64742-54-7	265-157-1	65.0 - 85.0%
heavy paraffinic	Classification: Carc. 1B: H350 (*) Carc. 1B; H350: C ≥ 3.0 % DMSO Repr. 2; H361d: C ≥ 3.0 % DMSO Asp. Tox. 1; H304: Viscosity ≤ 20.5 mm2/s (40°C)		
Phosphoric acid esters/amine salt	Proprietary		1.0 - 5.0%
	Classification: Skin Sens. 1: H317		
Olefin sulfide	Proprietary		1.0 - 5.0%
	Class	sification: Skin Sens	s. 1: H317

Note (*): Components are highly refined and this hazard does not apply.

Other components are either non-hazardous or do not significantly contribute to the hazards of the product. Trade Secret Claims: Specific chemical identity and/or exact percentage (concentration) of components has been withheld as a trade secret.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4 FIRST AID MEASURES

First Aid - Eyes:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention, if irritation develops.
First Aid - Skin:	In case of contact, flush skin with plenty of soap and water while removing contaminated clothing and shoes. Get medical attention immediately if irritation develops and/or persists. Wash contaminated clothing before reuse.
First Aid - Ingestion:	If swallowed and feel unwell, immediately call a physician or poison control center. DO NOT induce vomiting unless directed to do so by a physician or poison control center. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person.
First Aid - Inhalation:	If respiratory symptoms or other symptoms of exposure develop, move victim away from source of exposure and into fresh air. If symptoms persist, seek immediate medical attention. If victim is not breathing, clear airway and immediately begin artificial respiration. If breathing difficulties develop, oxygen should be administered by qualified personnel. Seek immediate medical attention.
Important Symptoms / Effects – Acute and Delayed:	Mild tissue inflammation, rash, nausea.
Advice to Physician:	Treat symptomatically.

SECTION 5 FIRE FIGHTING MEASURES

Extinguishing Media:	Treat surrounding material. Water spray, dry chemical, carbon dioxide, or foam is recommended. Carbon dioxide can displace oxygen. Use caution when applying carbon dioxide in confined spaces.
Specific Hazards:	This product is not flammable, but will burn in a fire. This product may give

SECTION 5 FIRE FIGHTING MEASURES

rise to hazardous vapors in a fire. Vapors/fumes may be irritating, corrosive and/or toxic.

Wear full protective clothing and self-contained breathing apparatus. Protective equipment and procedures for fire-fighters. Additional Advice:

None.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Spill Procedures:	Small spills: Wipe up spills with an absorbent towel/material and transfer into suitable containers for recovery or disposal. Finally flush area with water/soap or an appropriate solvent, as this product is not appreciably soluble in water alone.
	Large spills: Contain spilled material if possible. Pump into suitable and properly labeled containers.
Personal Precautions:	Wear suitable protective clothing and equipment.
Environmental Precautions:	Prevent the material from entering drains or water courses. Do not discharge directly to a water source. Advise Authorities if spillage has entered watercourse or sewer or has contaminated soil or vegetation.

SECTION 7 HANDLING AND STORAGE

Handling:	Wear appropriate personal protection (See Section 8) when handling this material. The work area should be equipped with a safety shower and eye wash station. If exposed to the liquid, avoid contact with skin and eyes. Wash thoroughly after handling. Avoid breathing vapors, mists or sprays. Use in a well-ventilated area.
Storage:	Keep container(s) tightly closed. Use and store this material at room temperature away from sources of ignition, heat, direct sunlight and hot metal surfaces. Keep away from any incompatible materials (see Section 10).
Additional Advice:	Store in original container. Store as directed by the manufacturer.

SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

Occupational Exposure Standards:	Exposure limits are listed below, if they exist.
Petroleum distillates, hydrotreated heavy paraffinic:	(as petroleum distillates – naphtha) NIOSH REL: 350 mg/m3 TWA. NIOSH REL: 1800 mg/m3 STEL. OSHA PEL: 500 ppm (2000 mg/m3). (as oil mist) NIOSH REL: 5 mg/m3 TWA. NIOSH STEL: 10 mg/m3 TWA. OSHA PEL: 5 mg/m3 TWA.
Phosphoric acid esters/amine salt:	None.
Olefin sulfide:	None.
Engineering Control Measures:	Engineering methods to prevent or control exposure are preferred. Methods include process or personnel enclosure, mechanical ventilation (local exhaust), and control of process conditions.
Respiratory Protection:	A NIOSH certified self-contained breathing apparatus or air purifying respirator with an organic cartridge may be used under conditions where airborne concentrations are expected to exceed exposure limits.

SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

Hand Protection:	The use of gloves impervious to the specific material handled is advised to prevent skin contact, possible irritation and skin damage (see glove manufacturer literature for information on permeability).
Eye Protection:	Approved eye protection (safety glasses with side-shields or goggles) to safeguard against potential eye contact, irritation, or injury is recommended. Depending on conditions of use, a face shield may be necessary.
Body Protection:	Impervious clothing should be worn as needed to prevent skin contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Color:	Slight yellow to amber
Odor:	Characteristic
Odor Threshold:	Not available.
pH:	Not available.
Melting Point/Range (°C/°F):	-42°C / -43.6°F (pour point)
Boiling Point/Range (°C/°F):	> 200°C / 392°F (based on constituents)
Flash Point (PMCC) (ºC/ºF):	220°C / 428°F
Evaporation Rate:	Not available.
Flammability / Explosivity Limits in Air (%):	Not available.
Vapor Pressure:	< 0.075 mmHg (20°C) (based on constituents)
Vapor Density (Air = 1):	Not available.
Relative Density:	0.855 (15.6°C)
Solubility in Water:	Insoluble
Partition Coefficient:	Not available.
Autoignition Temperature (°C/°F):	> 250°C / 482°F (based on constituents)
Decomposition Temperature (°C/°F):	Not available.
Viscosity:	180.0 mm2/s (40ºC)
Explosive Properties:	None.
Oxidizing Properties:	None.
Volatile Organic Content (VOC) (g/l):	ca. 680 - 725 g/l (as defined by 40CFR51.100)

SECTION 10 STABILITY AND REACTIVITY

Reactivity:	Product will not undergo additional reaction.
Stability:	Stable under normal storage conditions.
Hazardous Polymerization:	Will not occur.
Conditions to Avoid:	Contact with incompatible materials, excessive heat.
Incompatibilities:	Strong oxidizing agents.
Hazardous Decomposition Products:	Oxides of carbon, oxides of sulfur, oxides of phosphorus, oxides of nitrogen, amines, aliphatic compounds, toxic by-products.

SECTION 11 TOXICOLOGICAL INFORMATION

If available, toxicity data for the product is given; otherwise component data is listed.			
Acute Toxicity:	 This product is not expected to be appreciably toxic. (Petroleum distillates, hydrotreated heavy paraffinic) Oral LD50 (rat) > 5000 mg/kg (similar oil); Dermal LD50 (rabbit) > 5000 mg/kg (similar oil); Inhalation LC50 (rat) > 5.53 mg/l (4 hr) (aerosol) (no mortality – similar oil) (Phosphoric acid esters/amine salt) No data. (Olefin sulfide) No data. 		
Skin Corrosion / Irritation:	 The product may be slightly irritating to the skin. (Petroleum distillates, hydrotreated heavy paraffinic) Mildly irritating to skin (rabbit – similar oil). (Phosphoric acid esters/amine salt) No data. (Olefin sulfide) No data. 		
Serious Eye Damage / Irritation:	 The product may be slightly irritating to the eyes. (Petroleum distillates, hydrotreated heavy paraffinic) Non-irritating to eyes (rabbit – similar oil). (Phosphoric acid esters/amine salt) No data. (Olefin sulfide) No data. 		
Respiratory or Skin Sensitization:	 The product may be dermally sensitizing. (Petroleum distillates, hydrotreated heavy paraffinic) Not dermally sensitizing (guinea pig – similar oil). (Phosphoric acid esters/amine salt) May be a dermal sensitizer. (Olefin sulfide) Skin sensitizer. 		
Mutagenicity:	 This product is not expected to be mutagenic. (Petroleum distillates, hydrotreated heavy paraffinic) Not mutagenic (in vitro mammalian chromosome aberration test and micronucleus assay - similar oil). (Phosphoric acid esters/amine salt) Not mutagenic in laboratory tests. (Olefin sulfide) No data. 		
Carcinogenicity:	 This product is not expected to be carcinogenic. (Petroleum distillates, hydrotreated heavy paraffinic) Carcinogenic potential is reduced for highly refined distillates. Tumors have developed in animal studies, but were dependent on the concentration of impurities. Not classified as to carcinogenicity to humans (IARC – Petroleum solvents). (Phosphoric acid esters/amine salt) No data. (Olefin sulfide) No data. 		
Reproductive / Developmental Toxicity:	 This product is not expected to be reproductively or developmentally harmful. (Petroleum distillates, hydrotreated heavy paraffinic) Reproductive performance and offspring development were not adversely affected in mice or rats (1000 mg/kg – similar oil). (Phosphoric acid esters/amine salt) No data. (Olefin sulfide) No data. 		
Chronic/Subchronic Toxicity: Specific Target Organ/Systemic Toxicity – Single Exposure:	(Petroleum distillates, hydrotreated heavy paraffinic) No data. (Phosphoric acid esters/amine salt) No data. (Olefin sulfide) No data.		
Chronic/Subchronic Toxicity: Specific Target Organ/Systemic Toxicity – Repeated Exposure:	 (Petroleum distillates, hydrotreated heavy paraffinic) In a 13-week oral study in rats at up to 500 mg/kg/day, the LOAEL was 125 mg/kg/day based on organ weight changes, reddening/discoloration of organs and atrophy in male sex organs (similar oil). (Phosphoric acid esters/amine salt) In a 28-day oral study in rats, treatment related effects included microscopic changes in the adrenal glands and kidneys at 150 and 500 mg/kg/day. (Olefin sulfide) No data. 		

SECTION 11 TOXICOLOGICAL INFORMATION

Aspiration Hazard:

This product does not pose an appreciable aspiration hazard.

Additional Information: None.

SECTION 12 ECOLOGICAL INFORMATION

If available, ecological data for the product is given; otherwise component data is listed.		
Acute Ecotoxicity:	 This product is not expected to be appreciably harmful to aquatic species. (Petroleum distillates, hydrotreated heavy paraffinic) LL50 (Fathead minnow) > 100 mg/l/96 hr (similar oil); EL50 (Daphnia magna) > 10000 mg/l/48 hr (similar oil); NOEL (algae) > 100 mg/l/72 hr (similar oil). (Phosphoric acid esters/amine salt) LC50 (Fathead minnow) 8.5 mg/l/96 hr; EC50 (Daphnia magna) 91.4 mg/l/48 hr; EC50 (green algae) 6.4 mg/l/96 hr. (Olefin sulfide) EC50 (Daphnia magna) 63 mg/l/48 hr; EC50 (algae) > 100 mg/l/72 hr. 	
Mobility:	 (Petroleum distillates, hydrotreated heavy paraffinic) Not expected to be mobile in soil. (Phosphoric acid esters/amine salt) No data. (Olefin sulfide) No data. 	
Persistence/Degradability:	 (Petroleum distillates, hydrotreated heavy paraffinic) Not inherently biodegradable (2-4% in 28 days – similar oil). (Phosphoric acid esters/amine salt) Not readily biodegradable (3.6% in 28 days). (Olefin sulfide) Not readily biodegradable (13% in 28 days). 	
Bioaccumulation:	 (Petroleum distillates, hydrotreated heavy paraffinic) May contain constituents with the potential to bioaccumulate. (Phosphoric acid esters/amine salt) No data. (Olefin sulfide) May bioaccumulate (Log Kow > 4.5). 	
Other adverse effects:	None.	

SECTION 13 DISPOSAL CONSIDERATION

Environmental precautions:	Prevent the material from entering drains or water courses. Do not discharge directly to a water source. Advise Authorities if spillage has entered watercourse or sewer or has contaminated soil or vegetation.
Product Disposal:	Dispose in accordance with all local, state (provincial), and federal regulations. Under RCRA, it is the responsibility of the product's user to determine at the time of disposal, whether the product meets RCRA criteria for hazardous waste. This is because the product uses, transformations, mixtures, processes, etc. may render the resulting materials hazardous.
Container Disposal:	Do not remove label until container is thoroughly cleaned. Empty containers may contain hazardous residues. This material and its container must be disposed of in a safe way.

SECTION 14 TRANSPORT INFORMATION

DOT (US):

Proper Shipping Name:	Not regulated
UN Number:	None.
Class:	None.
Packaging Group:	None.

SECTION 14 TRANSPORT INFORMATION

Reportable Quantity:	None.
Marine Pollutant:	None.
IATA:	
Proper Shipping Name:	Not regulated
UN Number:	None.
Class:	None.
Packing Group:	None.
IMDG:	
Proper Shipping Name:	Not regulated
UN Number:	None.
Class:	None.
Packing Group:	None.
Marine Pollutant:	None.

Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations.

SECTION 15 REGULATORY INFORMATION

US Toxic Substance Control Act:	All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
Canadian Domestic Substance List:	All components of this product are listed on the Canadian Domestic Substance List.
EU REACh:	One or more components of this product may not have been pre-listed or registered under REACh. Limited quantities may be permitted.
TSCA Sec.12(b) Export Notification:	This product does not contain a chemical at or above de minimis concentrations which requires reporting.
Canadian WHMIS	D.2.B
Classification:	This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all of the information required by the CPR.
Massachusetts Right-To-Know:	This product contains materials subject to disclosure under the Massachusetts Right-To-Know Law: - Petroleum distillates, hydrotreated heavy paraffinic (as petroleum distillates)
New Jersey Right-To-Know:	This product contains materials subject to disclosure under the New Jersey Right-To-Know Law: - Petroleum distillates, hydrotreated heavy paraffinic (as petroleum distillates)
Pennsylvania Right-To-Know:	This product contains materials subject to disclosure under the Pennsylvania Right-To-Know Law: - Petroleum distillates, hydrotreated heavy paraffinic (as petroleum distillates)
California Proposition 65:	This product contains materials which the State of California has found to cause cancer, birth defects or other reproductive harm: - Cumene (< 3 ppm)

SECTION 15 REGULATORY INFORMATION

	- Methyl isobutyl ket - Ethyl acrylate (< 0. - Toluene (< 0.09 pp - Benzene (< 75 ppt - Ethyl benzene (< 0 - Methanol (< 0.002 - Cyanide (< 0.3 ppt	.45 ppm) pm) p))))) (),5 ppb) %)
SARA TITLE III-Section	Immediate (acute) h	azard
311/312 Categorization (40 CFR 370):	(as of 2018, the EP/	A has adopted GHS hazard classifications)
SARA TITLE III-Section 313 (40 CFR 372):	This product does n at or above de minir	ot contain materials which are listed in Section 313 nis concentrations.
CERCLA Hazardous Substance (40 CFR 302)	This product does n CERCLA and Section	ot contain materials subject to reporting under on 304 of EPCRA.
Water Hazard Class (WGK):	This product is sligh	tly water-endangering (WGK=1).
Other Chemical Inventories:	Australia (AICS):	All components of this product are listed.
	China (IECSC):	All components of this product are listed.
	Japan (ENCS):	All components of this product are listed.
	Korea (KCI):	All components of this product are listed.
	Philippines (PICCS):	All components of this product are listed.
	Taiwan (TCSI):	All components of this product are listed.

SECTION 16 OTHER INFORMATION

NFPA Rating - HEALTH:	2
NFPA Rating - FIRE:	1
NFPA Rating - REACTIVITY:	0
NFPA Rating - SPECIAL:	NONE
Full text of H-Statements referred to under Section 3:	
H304	May be fatal if swallowed and enters airways
H350	May cause cancer
H361	Suspected of damaging fertility or the unborn child
H317	May cause an allergic skin reaction
SDS Date Issued:	July 23, 2018
SDS Current Version:	1.0 Version Date: July 23, 2018
SDS Revision History:	v1.0 Initial version.
Abbreviations:	GHS:Globally Harmonized System of Classification and Labeling of ChemicalsCAS#:Chemical Abstract Services NumberACGIH:American Conference of Governmental Industrial HygienistsOSHA:Occupational Safety and Health AdministrationNFPA:National Fire Protection AssociationDOT:US Department of TransportationRCRA:US Resource Conservation and Recovery ActTLV:Threshold Limit ValueTWA:Time-Weighted Average

SECTION 16 OTHER INFORMATION

	PEL:Permissible Exposure LimitSTEL:Short Term Exposure LimitWEEL:Workplace Environmental Exposure LevelsAIHA:American Industrial Hygiene AssociationNTP:National Toxicology ProgramIARC:International Agency for Research on CancerLD50:Lethal Dose 50%LC50:Lethal Concentration 50%NOAEL:No Observed Adverse Effect LevelNOEL:No Observed Effect LevelEC50:Effective Concentration 50%LL50:Lethal Loading Rate 50%BCFBioconcentration FactorBOD:Biological Oxygen DemandKoc:Soil Organic Carbon Partition Coefficient.TIm:Median Tolerance Limit
Key References:	United States National Library of Medicine's TOXNET Patty's Toxicology, 5 th Edition European Commission's Institute for Health and Consumer Protection European Chemicals Agency (ECHA) American Conference of Governmental Industrial Hygienists International Agency for Research on Cancer United States National Toxicology Program United States Occupational Safety and Health Administration United States Department of Transportation Supplier Material Safety Data Sheets
Disclaimer:	The data contained herein is based on information that the company believes to be reliable, but no expressed or implied warranty is made with regard to the accuracy of such data or its suitability for a given situation. Such data relates only to the specific product described and not to such products in combination with any other product and no agent of the company is authorized to vary any of such data. The company and its agents disclaim all liability for any action taken or foregone on reliance upon such data.
Prepared by:	ChemOne Compliance, LLC