

AMALIE OIL COMPANY

1601 McCloskey Boulevard Tampa, Florida 33605 U.S.A. E-MAIL: info@amalie.com www.amalie.com

Telephone: (813)248-1988 Fax: (813) 248-1488

817725581

Page 1/10

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 07.17.2015

1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: AMALIE XLO H. D. FLEET 25W-50
- · Other product identifiers: No other identifiers
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture: Engine Lubricant
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

AOCUSA Made in U.S.A.

· 1.4 Emergency telephone number:

ChemTel Inc.

+1 (800)255-3924, +1 (813)248-0585

2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the Globally Harmonized System within the United States.

The product is classified and labelled according to the CLP regulation.

(Cont'd. on page 2)

Page: 2/10

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Trade name: AMALIE XLO H. D. FLEET 25W-50

· Hazard pictograms

(Cont'd. from page 1)



- · Signal word Warning
- · Hazard-determining components of labelling:

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts

· Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

- · 2.3 Other hazards There are no other hazards not otherwise classified that have been identified.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· 3.2 Mixtures

<2%

· Additional information:

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This product meets these requirements.

For the listed ingredient(s), the identity and/or exact percentages are being withheld as a trade secret.

For the wording of the listed Hazard Statements refer to section 16.

4 First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.

(Cont'd. on page 3)

Page: 3/10

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Trade name: AMALIE XLO H. D. FLEET 25W-50

(Cont'd. from page 2)

· After skin contact:

Wash with soap and water.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Acne

Irritant to eyes.

Slight irritant effect on skin and mucous membranes.

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents:

Foam

Gaseous extinguishing agents

Fire-extinguishing powder

Carbon dioxide

- · For safety reasons unsuitable extinguishing agents: Water
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

Particular danger of slipping on leaked/spilled product.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

6.2 Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Prevent from spreading (e.g. by damming-in or oil barriers).

Do not allow to penetrate the ground/soil.

(Cont'd. on page 4)

Page: 4/10

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Trade name: AMALIE XLO H. D. FLEET 25W-50

(Cont'd. from page 3)

· 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Remove from the water surface (e.g. skim or suck off).

Send for recovery or disposal in suitable receptacles.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of aerosols.

Use only in well ventilated areas.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · DNELs: No further relevant information available.
- · PNECs: No further relevant information available.

· 8.2 Exposure controls

· Personal protective equipment:

\cdot General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

(Cont'd. on page 5)

Page: 5/10

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Trade name: AMALIE XLO H. D. FLEET 25W-50

(Cont'd. from page 4)

For spills, respiratory protection may be advisable.

· Protection of hands:

Wear protective gloves to handle contents of damaged or leaking units.

Gloves are advised for repeated or prolonged contact.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection:



Safety glasses

· Body protection:

· Vapour density:

· Evaporation rate:

Not required under normal conditions of use.

Protection may be required for spills.

· Limitation and supervision of exposure into the environment:

No further relevant information available.

9 Physical and chemical properties

Liquid
Not determined.
Petroleum-like
Not determined.
Not determined.
Not determined.
Not determined.
253 °C (487 °F)
Not applicable.
Not determined.
Not determined.
Product does not present an explosion hazard.
Not determined.
Not determined.
Not determined.
Not determined.
0,88 g/cm³ (7,344 lbs/gal) Not determined.

Not determined.

Not determined.

(Cont'd. on page 6)

Page: 6/10

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Trade name: AMALIE XLO H. D. FLEET 25W-50

(Cont'd. from page 5)

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity

Dynamic: Not determined. **Kinematic at 40 °C (104 °F):** 182,4 mm²/s

• **9.2 Other information** No further relevant information available.

10 Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

To avoid thermal decomposition do not overheat.

10.3 Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong oxidising agents.

- · 10.4 Conditions to avoid Excessive heat.
- 10.5 Incompatible materials Oxidizers
- 10.6 Hazardous decomposition products

Carbon monoxide and carbon dioxide

Hydrocarbons

Toxic metal oxide smoke

11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

113706-15-3 Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts

Oral LD50 2600 mg/kg (rat)

- Primary irritant effect
- · Skin corrosion/irritation: Slight irritant effect on skin and mucous membranes.
- · Serious eye damage/irritation:

Causes serious eye irritation.

· Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

Page: 7/10

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Trade name: AMALIE XLO H. D. FLEET 25W-50

(Cont'd. from page 6)

- · Carcinogenic categories
- IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable routes of exposure:

Ingestion.

Eye contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): Irritating to eyes.
- · Repeated dose toxicity: No further relevant information available.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

113706-15-3 Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts

LC50 4,5 mg/l (Oncorhynchus mykiss)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Due to mechanical actions of the product (e.g. agglutinations), damages may occur.
- · Additional ecological information:
- · General notes: Avoid release to the environment.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

(Cont'd. on page 8)

Page: 8/10

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Trade name: AMALIE XLO H. D. FLEET 25W-50

(Cont'd. from page 7)

13 Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· 14.1 UN-Number · DOT, ADR, IMDG, IATA	Not Regulated
· 14.2 UN proper shipping name · DOT, ADR, IMDG, IATA	Not Regulated
· 14.3 Transport hazard class(es)	
· DOT, ADR, IMDG, IATA · Class	Not Regulated
· 14.4 Packing group · DOT, ADR, IMDG, IATA	Not Regulated
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
• 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.	

15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

(Cont'd. on page 9)

Page: 9/10

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Trade name: AMALIE XLO H. D. FLEET 25W-50

(Cont'd. from page 8)

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

Present in trace quantities.

71-43-2 benzene

· Chemicals known to cause reproductive toxicity for females:

Present in trace quantities.

108-88-3 toluene

· Chemicals known to cause reproductive toxicity for males:

Present in trace quantities.

71-43-2 benzene

· Chemicals known to cause developmental toxicity:

Present in trace quantities.

71-43-2 benzene

108-88-3 toluene

- · Carcinogenic Categories
- · EPA (Environmental Protection Agency)

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients are listed.
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

(Cont'd. on page 10)

Page: 10/10

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Trade name: AMALIE XLO H. D. FLEET 25W-50

(Cont'd. from page 9)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Sources

Website, European Chemicals Agency (echa.europa.eu)

W ebsite, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

The manufacturer believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. No warranty of fitness, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or process. Further, since the conditions and methods of use of this product and of the information referred to herein are beyond the control of the manufacturer, the manufacturer expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

This document was authored and reviewed by the technical and scientific staff at ChemTel Inc. Descriptions, classifications and calculations are based upon data provided by manufacturer and augmented by published data in conjunction with expert analysis by degreed scientists.

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com