





SYNTHETIC BLEND MOTOR OIL

When it comes to optimizing performance, protection, and especially bang for the buck, there's nothing like AMALIE PRO High Performance Synthetic Blend Motor Oils. These highly sophisticated lubricants incorporate a blend of high viscosity index oils, synthetic base stocks, shear stable viscosity modifiers and the latest additive technology to deliver the level performance and dependability you demand. Improved wear control, oxidative stability, piston cleanliness, and chain wear protection are all additional characteristics that make this oil so popular. If you want to get the most of your vehicle and every product you put in it, AMALIE PRO High Performance Synthetic Blend Motor Oils are for you.

Features:

- Building on the trusted AMALIE technology with enhanced base oil qualities
- A mix of synthetic base oils to reduce sludge, oxidation, and deposits
- API SP/CF
- API SP/CF, ILSAC GF-6A(5W-20, 5W-30, 10W-30)

Benefits:

- The same trusted protection you can count on with imperial turbo in more severe conditions
- Keep your engine running efficiently and clean between oil changes

FACTS 'n' FRICTION

While it's not necessarily dangerous to mix a synthetic and conventional oil to create your own blend, all you'd really be doing is diluting the performance characteristics of the synthetic. Unless you have a high-tech lab in your basement to analyze your recipe's performance capabilities, there's no telling what sort of characteristics you can expect from your concoction.





PRO HIGH PERFORMANCE SYNTHETIC BLEND **RESOURCE CONSERVING**

VISCOSITY	PACK SIZE	PART#
5W-20	12-1 Quart	160-75646-56
	4-1 Gallon	160-75647-36
5W-30	12-1 Quart	160-75666-56
	4-1 Gallon	160-75667-36
	55 Gallon	160-75663-05
10W-30	12-1 Quart	160-75676-56
	4-1 Gallon	160-75677-36
	55 Gallon	160-75673-05

PRO HIGH PERFORMANCE SYNTHETIC BLEND

VISCOSITY	PACK SIZE	PART#
50	12-1 Quart	160-65656-56
70	55 Gallon	160-65673-05
5W-40	12-1 Quart	160-65696-56
	4-1 Gallon	160-65697-36
	55 Gallon	160-65693-05
5W-50	12-1 Quart	160-75616-56
	55 Gallon	160-75613-05
10W-40	12-1 Quart	160-75686-56
	4-1 Gallon	160-75687-36
	55 Gallon	160-75683-05
15W-50	12-1 Quart	160-75636-56
	4-1 Gallon	160-75637-36
	55 Gallon	160-75633-05
20W-50	12-1 Quart	160-75696-56
	4-1 Gallon	160-75697-36
	55 Gallon	160-75693-05



Always refer to your vehicles operating manual to select the correct grade of oil for your engine. The data presented herein are believed to be accurate; however, Amalie Oil Company shall not be liable for its content and makes no warranty with respect thereto.





API SP/ILSAC GF-6 is a significant category upgrade. AMALIE Motor Oils have been tried and tested against 7 new tests to ensure modern and next generation engines are protected so that they can perform to their full potential.

For the first time ever, the ILSAC category is split into two:



ILSAC GF-6A

Replaces the ILSAC GF-5 specification and is represented by the starburst/certification trademark.




ILSAC GF-6B

Provides further fuel economy benefits compared to ILSAC GF-6A and is defined for OW-16 viscosity grade motor oils only.

7 NEW TESTS

- Fuel Economy GF-6A/GF-6B
- LSPI
- Chain Wear
- Sludge/Varnish
- Oxidation/Deposits
- Wear
- Corrosion







Better than it has to be Since 1903





AMALIE MOTOR OIL SP PRODUCT LINE

Built on the same proven and trusted approach to low speed pre-ignition (LSPI) protection AMALIE introduced in the 2017 API SN PLUS upgrade. In addition, API SP brings additional enhanced benefits in engine protection and ILSAC GF-6 enables better fuel economy performance.

Available in a full range of viscosity grades from mineral to synthetic, including GM dexos1™ Gen 2 and high mileage options.

AMALIE MOTOR OILS - PROOF OF PERFORMANCE







AMALIE GF-6 Motor Oil Technology

Traditional GF-5 Motor Oil Technology

Greater Vehicle Efficiency

AMALIE Motor Oils exceed the stringent requirements for fuel efficiency to ensure consumers continue to minimize consumption all the way to their next oil change.

Reduced Oil Thickening

AMALIE Motor Oils resist thermal breakdown to protect the motor oil from thickening, allowing for oil to be pumped throughout the engine to ensure protection throughout the oil drain interval.

Enhanced Engine Cleanliness

AMALIE Motor Oils maintain engine cleanliness to ensure critical engine and turbocharged GDI components operate as intended even in extreme operating conditions.







Improved Wear Control

AMALIE Motor Oils mitigate catastrophic piston damage caused by LSPI and minimize engine wear to ensure efficient and reliable operation to help extend the useful life of the vehicle.

Please visit AMALIE.com or call 800-368-1264 for more information.