

# Better than it has to be<sup>®</sup> SAFETY DATA SHEET

### SECTION 1 PRODUCT AND COMPANY INFORMATION

Product Name(s):	Rolling Oil GP 15		
Product Code(s):	843901582		
Uses:	A petroleum-based lub	ricant.	
Company:	Amalie Oil Company		
Address:	1601 McCloskey Blvd;	Tampa FL 33605; USA	
Telephone Number:	(813) 248-1988	Fax Number:	(813) 248-1488
Emergency Telephone Number:	For Hazardous Materials [or Dangerous Goods] Incident (24 hours/day)		
	ChemTel Inc. (800) 25	5-3924; +1 (813) 248-058	5
Date Issued:	February 21, 2019	Date Revised:	February 21, 2020

This SDS complies with the OSHA Hazard Communication Standard 29CFR1910.1200 as revised in May 2012 (GHS). It may not meet requirements in other countries.

SECTION 2	HAZARDS IDENTIFICATION	
GHS Signal Word:	DANGER	
GHS Classification:	Aspiration Hazard (Category 1)	
GHS Hazard Statements:	May be fatal if swallowed and enters airwa	ays
GHS	Prevention:	Response:
Precautionary Statements:	None.	If swallowed: Immediately call a poison center/doctor/hospital.
		Do NOT induce vomiting.
	Storage:	Disposal:
	Store locked up.	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazards Not Otherwise Classified:	None.	
GHS	Approximately < 1% of this mixture consist	ts of ingredient(s) of unknown acute toxicity.
Assessment:	Approximately < 1% of the mixture consist	ts of ingredient(s) of unknown hazards to the

#### SECTION 2 HAZARDS IDENTIFICATION

aquatic environment.

#### SECTION 3 COMPOSITION / INGREDIENTS

Component	CAS Number	EC Number	Concentration
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	265-158-7	≥ 95.0%
	Classification: Carc. 1B: H350 (*) Carc. 1B; H350: C ≥ 3.0 % DMSO Repr. 2; H361d: C ≥ 3.0 % DMSO Asp. Tox. 1; H304: Viscosity ≤ 20.5 mm2/s (40ºC)		

Note (\*): Components are highly refined and this hazard does not apply.

Other components are either non-hazardous or do not significantly contribute to the hazards of the product. Trade Secret Claims: Specific chemical identity and/or exact percentage (concentration) of components has been withheld as a trade secret.

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### SECTION 4 FIRST AID MEASURES

First Aid - Eyes:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention, if irritation develops.
First Aid - Skin:	In case of contact, flush skin with plenty of soap and water while removing contaminated clothing and shoes. Get medical attention immediately if irritation develops and/or persists. Wash contaminated clothing before reuse.
First Aid - Ingestion:	If swallowed and feel unwell, immediately call a physician or poison control center. DO NOT induce vomiting unless directed to do so by a physician or poison control center. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person.
First Aid - Inhalation:	If respiratory symptoms or other symptoms of exposure develop, move victim away from source of exposure and into fresh air. If symptoms persist, seek immediate medical attention. If victim is not breathing, clear airway and immediately begin artificial respiration. If breathing difficulties develop, oxygen should be administered by qualified personnel. Seek immediate medical attention.
Important Symptoms / Effects – Acute and Delayed:	Mild tissue inflammation, nausea, breathing difficulties, coughing.
Advice to Physician:	Treat symptomatically

Advice to Physician: Treat symptomatically.

#### SECTION 5 FIRE FIGHTING MEASURES

Extinguishing Media:	Treat surrounding material. Water spray, dry chemical, carbon dioxide, or foam is recommended. Carbon dioxide can displace oxygen. Use caution when applying carbon dioxide in confined spaces.
Specific Hazards:	This product is not flammable, but will burn in a fire. This product may give rise to hazardous vapors in a fire. Vapors/fumes may be irritating, corrosive and/or toxic.
Protective equipment and procedures for fire-fighters.	Wear full protective clothing and self-contained breathing apparatus.
Additional Advice:	None.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

Spill Procedures:	Small spills: Wipe up spills with an absorbent towel/material and transfer into suitable containers for recovery or disposal. Finally flush area with water/soap or an appropriate solvent, as this product is not appreciably soluble in water alone.
	Large spills: Contain spilled material if possible. Pump into suitable and properly labeled containers.
Personal Precautions:	Wear suitable protective clothing and equipment.
Environmental Precautions:	Prevent the material from entering drains or water courses. Do not discharge directly to a water source. Advise Authorities if spillage has entered watercourse or sewer or has contaminated soil or vegetation.

### SECTION 7 HANDLING AND STORAGE

Handling:	Wear appropriate personal protection (See Section 8) when handling this material. The work area should be equipped with a safety shower and eye wash station. If exposed to the liquid, avoid contact with skin and eyes. Wash thoroughly after handling. Avoid breathing vapors, mists or sprays. Use in a well-ventilated area.
Storage:	Keep container(s) tightly closed. Use and store this material at room temperature away from sources of ignition, heat, direct sunlight and hot metal surfaces. Keep away from any incompatible materials (see Section 10).
Additional Advice:	Store in original container. Store as directed by the manufacturer.

#### SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

Occupational Exposure Standards:	Exposure limits are listed below, if they exist.
Distillates (petroleum), hydrotreated light paraffinic:	(as petroleum distillates – naphtha) NIOSH REL: 350 mg/m3 TWA. NIOSH REL: 1800 mg/m3 STEL. OSHA PEL: 500 ppm (2000 mg/m3). (as oil mist) NIOSH REL: 5 mg/m3 TWA. NIOSH STEL: 10 mg/m3 TWA. OSHA PEL: 5 mg/m3 TWA.
Engineering Control Measures:	Engineering methods to prevent or control exposure are preferred. Methods include process or personnel enclosure, mechanical ventilation (local exhaust), and control of process conditions.
Respiratory Protection:	A NIOSH certified self-contained breathing apparatus or air purifying respirator with an organic cartridge may be used under conditions where airborne concentrations are expected to exceed exposure limits.
Hand Protection:	The use of gloves impervious to the specific material handled is advised to prevent skin contact, possible irritation and skin damage (see glove manufacturer literature for information on permeability).
Eye Protection:	Approved eye protection (safety glasses with side-shields or goggles) to safeguard against potential eye contact, irritation, or injury is recommended. Depending on conditions of use, a face shield may be necessary.
Body Protection:	Impervious clothing should be worn as needed to prevent skin contact.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Physical State:

Liquid

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Color:	Light to dark amber
Odor:	Characteristic
Odor Threshold:	Not available.
pH:	Not available.
Melting Point/Range (°C/°F):	-27°C / -16.6°F (pour point)
Boiling Point/Range (ºC/ºF):	> 200°C / 392°F (based on constituents)
Flash Point (PMCC) (°C/°F):	150ºC / 302ºF
Evaporation Rate:	Not available.
Flammability / Explosivity Limits in Air (%):	Not available.
Vapor Pressure:	< 0.075 mmHg (20°C) (based on constituents)
Vapor Density (Air = 1):	Not available.
Relative Density:	0.855 g/cm3 (15.6ºC)
Solubility in Water:	Insoluble
Partition Coefficient:	Not available.
Autoignition Temperature (°C/°F):	Not available.
Decomposition Temperature (°C/°F):	Not available.
Viscosity:	15 mm2/s (40°C)
Explosive Properties:	None.
Oxidizing Properties:	None.
Volatile Organic Content (VOC) (g/l):	800 - 855 g/l (as defined by 40CFR51.100)

### SECTION 10 STABILITY AND REACTIVITY

Reactivity:	Product will not undergo additional reaction.
Stability:	Stable under normal storage conditions.
Hazardous Polymerization:	Will not occur.
Conditions to Avoid:	Contact with incompatible materials, excessive heat.
Incompatibilities:	Strong oxidizing agents.
Hazardous Decomposition Products:	Oxides of carbon, aliphatic compounds, toxic by-products.

## SECTION 11 TOXICOLOGICAL INFORMATION

If available, toxicity data for the product is given; otherwise component data is listed.

Acute Toxicity:	This product is not expected to be appreciably toxic. (Distillates (petroleum), hydrotreated light paraffinic) Oral LD50 (rat) > 5000 mg/kg (similar oil); Dermal LD50 (rat) > 5000 mg/kg (similar oil); Inhalation LC50 (rat) 2.18 mg/l (4 hr) (aerosol – similar oil)
Skin Corrosion / Irritation:	<ul><li>The product may be slightly irritating to the skin.</li><li>(Distillates (petroleum), hydrotreated light paraffinic) Mildly irritating to skin (rabbit – similar oil).</li></ul>
Serious Eye Damage / Irritation:	The product may be slightly irritating to the eyes. (Distillates (petroleum), hydrotreated light paraffinic) Slightly irritating to eye

## SECTION 11 TOXICOLOGICAL INFORMATION

	(rabbit – similar oil).
Respiratory or Skin Sensitization:	The product is not expected to be dermally sensitizing. (Distillates (petroleum), hydrotreated light paraffinic) Not dermally sensitizing (guinea pig – similar oil).
Mutagenicity:	This product is not expected to be mutagenic. (Distillates (petroleum), hydrotreated light paraffinic) Not mutagenic (Ames test, in vitro mammalian chromosome aberration test, mammalian cell gene mutation assay and micronucleus assay – similar oils).
Carcinogenicity:	<ul> <li>This product is not expected to be carcinogenic.</li> <li>(Distillates (petroleum), hydrotreated light paraffinic) In a 78 week study in mice by dermal application (0.25 ml dose rate applied once or twice a week), it was shown that there was no carcinogenic potential in sufficiently refined oil. Not classified as to carcinogenicity to humans (IARC – Petroleum solvents).</li> </ul>
Reproductive / Developmental Toxicity:	This product is not expected to be reproductively or developmentally harmful. (Distillates (petroleum), hydrotreated light paraffinic) In dermally-exposed rats at up to 1000 mg/kg/day during gestation, the developmental NOAEL was determined to be 125 mg/kg/day based on decreased fetal body weights and skeletal anomalies at the highest dose (similar oil).
Chronic/Subchronic Toxicity: Specific Target Organ/Systemic Toxicity – Single Exposure:	(Distillates (petroleum), hydrotreated light paraffinic) No data.
Chronic/Subchronic Toxicity: Specific Target Organ/Systemic Toxicity – Repeated Exposure:	(Distillates (petroleum), hydrotreated light paraffinic) In a 13-week oral study in rats at up to 500 mg/kg/day, the LOAEL was 125 mg/kg/day based on organ weight changes, reddening/discoloration of organs and atrophy in male sex organs (similar oil).
Aspiration Hazard:	This product poses an aspiration hazard. It may cause chemical pneumonitis, which can be fatal.
Additional Information:	None.

## SECTION 12 ECOLOGICAL INFORMATION

If available, ecological data for the product is given; otherwise component data is listed.

Acute Ecotoxicity:	This product is not expected to be appreciably harmful to aquatic species. (Distillates (petroleum), hydrotreated light paraffinic) LL50 (fathead minnow) > 100 mg/l/96 hr; EL50 (Daphnia magna) > 10000 mg/l/48 hr; NOEL (algae) ≥ 100 mg/l/72 hr.
Mobility:	(Distillates (petroleum), hydrotreated light paraffinic) Not expected to be mobile in soil.
Persistence/Degradability:	(Distillates (petroleum), hydrotreated light paraffinic) Inherently biodegradable (31% in 28 days).
Bioaccumulation:	(Distillates (petroleum), hydrotreated light paraffinic) No data.
Other adverse effects:	None.

## SECTION 13 DISPOSAL CONSIDERATION

Environmental precautions:	Prevent the material from entering drains or water courses. Do not
	discharge directly to a water source. Advise Authorities if spillage has
	entered watercourse or sewer or has contaminated soil or vegetation.

## SECTION 13 DISPOSAL CONSIDERATION

Product Disposal:	Dispose in accordance with all local, state (provincial), and federal regulations. Under RCRA, it is the responsibility of the product's user to determine at the time of disposal, whether the product meets RCRA criteria for hazardous waste. This is because the product uses, transformations, mixtures, processes, etc. may render the resulting materials hazardous.
Container Disposal:	Do not remove label until container is thoroughly cleaned. Empty containers may contain hazardous residues. This material and its container must be disposed of in a safe way.

#### SECTION 14 TRANSPORT INFORMATION

#### DOT (US):

Proper Shipping Name:	Not regulated
UN Number:	None.
Class:	None.
Packaging Group:	None.
Reportable Quantity:	None.
Marine Pollutant:	None.
IATA:	
Proper Shipping Name:	Not regulated
UN Number:	None.
Class:	None.
Packing Group:	None.
IMDG:	
Proper Shipping Name:	Not regulated
UN Number:	None.
Class:	None.
Packing Group:	None.
Marine Pollutant:	None.

Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations.

#### SECTION 15 REGULATORY INFORMATION

US Toxic Substance Control Act:	All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
Canadian Domestic Substance List:	All components of this product are listed on the Canadian Domestic Substance List.
EU REACh:	One or more components of this product may not have been pre-listed or registered under REACh. Limited quantities may be permitted.
TSCA Sec.12(b) Export Notification:	This product does not contain a chemical at or above de minimis concentrations which requires reporting.
Canadian WHMIS Classification:	None.
	This product has been classified in accordance with the hazard criteria of

## SECTION 15 REGULATORY INFORMATION

	the CPR and the SE CPR.	OS contains all of the information required by the
Massachusetts Right-To-Know:	Massachusetts Righ	ns materials subject to disclosure under the nt-To-Know Law: um), hydrotreated light paraffinic
New Jersey Right-To-Know:	Jersey Right-To-Kno	ns materials subject to disclosure under the New ow Law: um), hydrotreated light paraffinic (as petroleum
Pennsylvania Right-To-Know:	Pennsylvania Right-	ns materials subject to disclosure under the To-Know Law: um), hydrotreated light paraffinic (as petroleum
California Proposition 65:		ine (trace) ne (trace) ace) race)
SARA TITLE III-Section 311/312 Categorization (40 CFR 370):	Immediate (acute) h (as of 2018, the EP/	azard A has adopted GHS hazard classifications)
SARA TITLE III-Section 313 (40 CFR 372):	This product does n at or above de minir	ot contain materials which are listed in Section 313 nis concentrations.
CERCLA Hazardous Substance (40 CFR 302)	This product does n CERCLA and Section	ot contain materials subject to reporting under on 304 of EPCRA.
Water Hazard Class (WGK):	This product is sligh	tly water-endangering (WGK=1).
Other Chemical Inventories:	Australia (AICS):	All components of this product are listed.
	China (IECSC):	All components of this product are listed.
	Japan (ENCS):	All components of this product are listed.
	Korea (KCI):	All components of this product are listed.
	Philippines (PICCS):	All components of this product are listed.
	Taiwan (TCSI):	One or more component(s) are not listed.

## SECTION 16 OTHER INFORMATION

NFPA Rating - HEALTH:	1
NFPA Rating - FIRE:	1
NFPA Rating - REACTIVITY:	0
NFPA Rating - SPECIAL:	NONE
Full text of H-Statements referred to under Section 3:	
H304	May be fatal if swallowed and enters airways

# SECTION 16 OTHER INFORMATION

SECTION 10 OTHER INFO	<b>NVIATION</b>		
H350	May cause cancer		
H361	Suspected of damaging fertility or the unborn child		
SDS Date Issued:	February 21, 2019		
SDS Current Version:	1.0Version Date:February 21, 2019		
SDS Revision History:	v1.0 Initial version.		
Abbreviations:	GHS:Globally Harmonized System of Classification and Labeling of ChemicalsCAS#:Chemical Abstract Services NumberACGIH:American Conference of Governmental Industrial HygienistsOSHA:Occupational Safety and Health AdministrationNFPA:National Fire Protection AssociationDOT:US Department of TransportationRCRA:US Resource Conservation and Recovery ActTLV:Threshold Limit ValueTWA:Time-Weighted AveragePEL:Permissible Exposure LimitSTEL:Short Term Exposure LimitWEEL:Workplace Environmental Exposure LevelsAIHA:American Industrial Hygiene AssociationNTP:National Toxicology ProgramIARC:International Agency for Research on CancerLD50:Lethal Dose 50%LC50:Lethal Concentration 50%NOAEL:No Observed Adverse Effect LevelNOEL:No Observed Effect LevelEC50:Effective Concentration 50%LL50:Lethal Loading Rate 50%BCFBioconcentration FactorBOD:Biological Oxygen DemandKoc:Soil Organic Carbon Partition Coefficient.Tim:Median Tolerance Limit		
Key References: Disclaimer:	United States National Library of Medicine's TOXNET Patty's Toxicology, 5 <sup>th</sup> Edition European Commission's Institute for Health and Consumer Protection European Chemicals Agency (ECHA) American Conference of Governmental Industrial Hygienists International Agency for Research on Cancer United States National Toxicology Program United States Occupational Safety and Health Administration United States Department of Transportation Supplier Material Safety Data Sheets The data contained herein is based on information that the company		
Prepared by:	believes to be reliable, but no expressed or implied warranty is made with regard to the accuracy of such data or its suitability for a given situation. Such data relates only to the specific product described and not to such products in combination with any other product and no agent of the company is authorized to vary any of such data. The company and its agents disclaim all liability for any action taken or foregone on reliance upon such data. ChemOne Compliance, LLC		
riepaieu by.			